No.



200100139

### THE UNITED STRATES OF ANTERIOR

<u>TO ARL TO WHOM THESE: PRESENTS SHALL COME:</u>

Holden's Joundation Seeds L. H. G.

MICCORS, THERE HAS BEEN PRESENTED TO THE

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN QUEING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY SCIION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

#### CORN, FIELD

'LH310'

In Jestimonn Mucrost, I have hereunto set my hand and caused the seal of the Flant Pariety Arotection Office to be affixed at the City of Washington, D.C. this tenth day of March, in the year two thousand three.

Gw M Soule

Lant Variety Frotection Office Agricultural Marketing Service U.S. DEPARTMENT OF AGRICULTURE

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

#### SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426). APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse) 2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME 3. VARIETY NAME Holden's Foundation Seeds L.L.C. Ex 5011 LH310 FOR OFFICIAL USE ONLY I. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) 5. TELEPHONE (include area code) **PVPO NUMBER** (319) 668-1100 503 S. Maplewood Ave. **20**0100139 6. FAX (include area code) P.O. Box 839 Williamsburg, IA 52361 (319) 668-2453 FILING DATE 8. IF INCORPORATED, GIVE STATE OF INCORPORATION IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF 9. DATE OF INCORPORATION ORGANIZATION (corporation, partnership, association, etc.) March 16, 2001 December 1, 1997 Limited Liability Company FILING AND EXAMINATION FEES: 0. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (First person listed will receive all papers) FEEES Mr. Mark Armstrong 2705.00 Holden's Foundation Seeds L.L.C. 503 S. Maplewood Ave. 03/15/2001 Williamsburg, IA CERTIFICATION FEE: · 320.00 1. TELEPHONE (Include area code) 12. FAX (Include area code) 13. E-MAIL 14. CROP KIND (Common Name) (319) 668-1100 (319) 668-2453 mark.armstrong@holdens.com Corn, Field 3. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on 19. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF reverse) CERTIFIED SEED? See Section 83(a) of the Plant Variety Protection Act) Exhibit A. Origin and Breeding History of the Variety YES (If "yes", answer items 20 and 21 below) NO (If "no," go to item 22) Exhibit B. Statement of Distinctness 20. DOES THE OWNER SPECIFY THAT SEED OF THIS Exhibit C. Objective Description of Variety VARIETY BE LIMITED AS TO NUMBER OF CLASSES? IF YES, WHICH CLASSES? | FOUNDATION | REGISTERED | Exhibit D. Additional Description of the Variety (Optional) Exhibit E. Statement of the Basis of the Owner's Ownership 21. DOES THE OWNER SPECIFY THAT THE CLASSES BE Voucher Sample (2,500 viable untreated seeds or, for tuber propagated varieties, LIMITED AS TO NUMBER OF GENERATIONS? NO YES verification that tissue culture will be depositied and maintained in an approved public repository) IF YES, SPECIFY THE $\square$ Filing and Examination Fee (\$2,705), made payable to "Treasurer of the United States" (Mail to the Plant Variety Protection Office) NUMBER 1, 2, 3, etc. **FOUNDATION** REGISTERED CERTIFIED (If additional explanation is necessary, please use the space indicated on the reverse.) 23. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)? FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U.S. OR OTHER COUNTRIES? IF YES, GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.) IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.) The owners declare that a viable sample of basic seed of the variety will be furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate. The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Owner(s) is(are) informed that false representation herein can jeopardize protection and result in penalties. GNATURE OF OWNER SIGNATURE OF OWNER AME (Please print or type) NAME (Please print or type)

CAPACITY OR TITLE

Dave Westphal

Chief Operating Officer

APACITY OR TITLE

DATE

#### INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybric variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,7 (\$320 filing fee and \$2,385 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Var Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351 Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of the United States of the United of \$320 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

> **Plant Variety Protection Office** Telephone: (301) 504-5518 FAX: (301) 504-5291

APR -6 27:50

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

18a. Give:

Con the way to be not also

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively:
    - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
    - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completel as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 21. See Section 83 of the Act for the Contents and Term of Plant Variety Protection.
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

Details listed on page one of Exhibit A

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information,

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who cauried under one of communication of program information (Braille, large print, audiotape, etc.) should contact the USDA TARGET Cer at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

S&T-470 (2-99) designed by the Plant Variety Protection Office with WordPerfect 6.0a. Replaces STD-470 (6-98) which is obsolete.

### Origin and Breeding History of the Inbred

#### Exhibit A

LH310 was developed from the double cross LH195 X LH199)(LH194 X LH198 by selfing and using the pedigree system of plant breeding. Yield, stalk quality, root quality, disease tolerance, late plant greenness, late plant intactness, ear retention, pollen shedding ability, silking ability and corn borer tolerance were the criteria used to determine the rows from which ears were selected.

LH194, LH195, LH198 and LH199, the progenitors of LH310, are all proprietary field corn inbred lines developed by Holden's Foundation Seeds, LLC. In 1990, Holden's Foundation Seeds, Inc. applied for plant variety protection of LH194 and LH195. LH194 was awarded certificate #9000125 and LH195 was awarded certificate #9000047. Both certificates were awarded on May 31, 1991. LH195 is also protected by a utility patent #5, 059, 745, granted by the United States Patent Office on October 22,1991. In 1991, Holden's Foundation Seeds, LLC applied for plant variety protection of LH199 and LH198. On April 30, 1992, LH199 was issued certificate #9200024 while LH198 was awarded certificate #9200021 on March 31, 1993. LH199 and LH198 are both also protected by a utility patent from the U.S. Patent Office. On April 19, 1994 Holden's was issued patent #5,304,715 for LH199 and patent #5,304,717 for LH198.

On the following pages are a summary and description of the development of LH310. Also included are copies of pages from Holden's Foundation Seeds, Inc. nursery books. The rows associated with the development of LH310 have been highlighted. Enclosed is a copy of a letter from Seed Branch of the USDA confirming that no other field corn inbreds have been named, 'LH310'.

LH310 has shown uniformity and stability for all traits described in Exhibit C. It has been self-pollinated and ear-rowed a sufficient number of generations, with careful attention to uniformity of plant type to ensure homozygosity and phenotypic stability. The line has been increased both by hand (lowa 1998 and 1999) and sibbed in isolated production fields (Hawaii 2000 and lowa 2000) with continued observations for uniformity. Kirk Cravens and Terry J. Foley, the originating plant breeders, have observed LH310 all four generations it has been increased. The line is uniform, stable and no variant traits have been observed or are anticipated in LH310.

# Origin and Breeding History of the Inbred LH310 = Ex5011 = LH195 x LH199)(LH194 x LH198

Field/Row Hartz T	Pedigree LH310	<u>Location</u> Iowa	<u>Year</u> 2000
Tamura Field #3	LH310	Hawaii	2000
23805-23816	Ex5011	Iowa	1999
30941	LH195 x LH199)(LH194 x LH198 @7	Iowa	1998
41278	LH195 x LH199)(LH194 x LH198 @6	Iowa	1997
2214	LH195 x LH199)(LH194 x LH198 @5	Mexico	1997
1202	LH195 x LH199)(LH194 x LH198 @4	Iowa	1996
4267	LH195 x LH199)(LH194 x LH198 @3	Hawaii	1996
881	LH195 x LH199)(LH194 x LH198 @2	Indiana	1995
6635	LH195 x LH199)(LH194 x LH198 @1	Iowa	1994
4576	LH195 x LH199)(LH194 x LH198	Iowa	1993
41726 41725	LH195 x LH199 LH194 x LH198	Iowa	1992
40531 40527	LH194 LH198	Iowa	1991

### **Novelty Statement**

#### Exhibit B

LH310 is most similar to LH195. However, the most distinguishing difference is leaf color. The leaf color of LH310 is lighter green in color than the leaf color of LH195. When using the Munsell Color Charts for Plant Tissues as a reference, the leaf color of LH310 would be classified as 5GY 4/6 while the leaf color of LH195 would be classified as 5GY 4/4.

The silk color of LH310 is pink while the silk color of LH195 is light green. When using the <u>Munsell Color Charts for Plant Tissues</u> as a reference, the silk color of LH310 would be classified as 2.5R 6/6 while the silk color of LH195 would be classified as 2.5GY 8/6.

The ears of LH310 possess more kernel rows than the ears of LH195 (18 vs 16). Enclosed is data collected at Williamsburg, Iowa, from two different planting dates in 2000, comparing the number of kernel rows of LH310 and LH195 at 50 observations for each planting date. The data suggests a significant difference at the 1% probability level according to a paired T test in both comparisons. Means show that on average LH310 possesses more kernel rows than LH195.

## TWO SAMPLE T-TEST : LH310 VS LH195 NUMBER OF KERNEL ROWS 2000 IMHOFF

Variety Name	Average	Standard	Sample	Analysis Type	Statistic	Probability
		Deviation	Size			Value
LH310	16.88	1.47	50	T-test	T=6.84	0.0000
LH195	14.84	1.52	50		DF=97	

Year of tests:	2000 IMHOFF	
Location of tests:	Williamsburg,	lowa


### Mann-Whitney Confidence Interval and Test


LH310 N = 50 Median = 16.000 LH195 N = 50 Median = 15.000

Point estimate for ETA1-ETA2 is 2.000 95.0 pct c.i. for ETA1-ETA2 is (2.000,2.000) W = 3303.5

Test of ETA1 = ETA2 vs. ETA1 n.e. ETA2 is significant at 0.0000 The test is significant at 0.0000 (adjusted for ties)

# LH310 VS LH195 NUMBER OF KERNEL ROWS 2000 IMHOFF





## TWO SAMPLE T-TEST: LH310 VS LH195 NUMBER OF KERNEL ROWS EAST FAIRGROUND 2000

Variety Name	Average	Standard	Sample	Analysis Type	Statistic	Probability
		Deviation	Size			Value
LH310	17.40	1.36	50	T-test	T=7.98	0.0000
LH195	15.20	1.4	5 0		DF=97	

Year of tests:	2000 E. FAIRGROUND			
Location of tests:	Williamsburg, Iowa			


### Mann-Whitney Confidence Interval and Test


LH310 N = 50 Median = 18.000 LH195 N = 50 Median = 16.000

Point estimate for ETA1-ETA2 is 2.000 95.0 pct c.i. for ETA1-ETA2 is (2.000,2.000) W = 3394.0

Test of ETA1 = ETA2 vs. ETA1 n.e. ETA2 is significant at 0.0000 The test is significant at 0.0000 (adjusted for ties)

## LH310 VS LH195 NUMBER OF KERNEL ROWS EAST FAIRGROUND 2000





### United States Department of Agriculture, Agricultural Marketing Service Science Division, Plant Variety Protection Office National Agricultural Library Building, Room 500 Beltsville, MD 20705

### OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s) Variety Seed Sou			Name or Temporary	/ Designation
Holden's Foundation Seeds, L.L.C. Iowa 1999			H310	
Address (Street & No., or R.F.D. No., City, State, Zip Code and Country) 503 S. Maplewood Ave PO Box 839 Williamsburg, IA 52361	ļ	icial use	130	
Place the appropriate number that describes the varietal characters typic whole numbers by adding leading zeroes if necessary. Completeness should Traits designated by a '*' are considered necessary for an adequate varie	be striven for to	establish an ac	lequate variety de	
COLOR CHOICES (Use in conjunction with Munsell color code to describe all 01=Light Green 06=Pale Yellow 11=Pink 02=Medium Green 07=Yellow 12=Light Red 03=Dark Green 08=Yellow-Orange 13=Cherry Red 04=Very Dark Green 09=Salmon 14=Red 05=Green-Yellow 10=Pink-Orange 15=Red & White	ple 21= s 23= 24= pped . 25=	26 in Comments se Buff Tan Brown Bronze Variegated (Descr Other (Describe)		
Family Members Co109.1814 CM105, A632, B64, B68 Oh7, T23 B37 B37, B76, H84 W117, W3 B73 N192, A679, B73, NC268 W182BN C103 Mo17, Va102, Va35, A682 Oh43 A619, MS71, H99, Va26 White Dent	nt (Unrelated): ND246, 32 153R	Sw Pc Pi	ned on grow-out tr leet Corn: C13, Iowa5125, P3 lepcorn: SG1533, 4722, HP3 pecorn: Mo15W, Mo16W, Mo2	9. 2132 01. HP7211
TYPE: (describe intermediate types in Comments section)  * 2_1=Sweet 2=Dent 3=Flint 4=Flour 5=Pop 6=Ornamental 7=Pipecorn.		Standard Inbr	ed Name <u>B73</u>	
2. REGION WHERE DEVELOPED IN THE U.S.A.:		Standard Seed	Source <u>Iowa</u> St	ate Univ.
* <u>2</u> 1=Northwest 2=Northcentral 3=Northeast 4=Southeast 5=Southcentra 6=Southwest 7=Other	a <b>l</b> .	<u>2</u>		
3. MATURITY (In Region Best Adaptability: show Heat Unit formula in "Comm DAYS HEAT UNITS  * 8 4 1 4 9 9 .0 From emergence to 50% of plants in sil	1	DAYS 8_ Q_	HEAT UNITS 1_4_3_8_5_	
* <u>8 4</u> <u>1 4 9 9.0</u> From emergence to 50% of plants in pol	len	_8_1_	1 4 5 3 5	
From 10% to 90% pollen shed	,		· _	
(*) From 50% silk to optimum edible qualit	:у			
From 50% silk to harvest at 25% moistu	ıre		<del></del>	
4. PLANT: Standard Deviation	Sample Size	St	andard Deviation	Sample Size
* $\underline{2}$ $\underline{3}$ $\underline{5}$ $\underline{8}$ cm Plant Height (to tassel tip) $\underline{4.17}$	_50_	2457	6.30	_50_
* $\underline{87.1}$ cm Ear Height (to base of top ear node) $\underline{4.07}$	50_	1_1_8_0_	4.60	_50
$\underline{1} \ \underline{2} . \underline{5}$ cm Length of Top Ear Internode $\underline{.78}$	_50_	_1_4_4_	1.06	_50_
O.O. Average Number of Tillers	_50_	0.0	0.0	_50_
* $\frac{1}{2}$ . O Average Number of Ears per Stalk $\frac{0.0}{2}$	_50_	1_2_	40	_50_
$\underline{3}$ Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=D	)ark	<u>3</u>		
Application Variety Data Page	Standard Inbro	ed Data	10	

	Application Variety Data Page 2			Standard Inbred Data		
		.68	Sample Size		andard Deviation .57	Sample Size 50
	* $\underline{1} \ \underline{0} \ \underline{0}$ cm Width of Ear Node Leaf			$-\frac{9.8}{0.6.2}$		
Z	*8_57 cm Length of Ear Node Leaf	3.86	_50_	<u>86.2</u>	3.01	50_
21/6	*6 Number of leaves above top ear	.52	_50_	_ 5	.49	50
12	$\underline{}$ $\underline{}$ $\underline{}$ degrees Leaf Angle (measure from 2nd leaf above ear at	3.88 anthesis to stalk abo	$\frac{50}{\text{ve leaf}}$	$-\frac{2}{0}$	5.35	_50_
345	* $0 2$ Leaf Color (Munsell code $5$ GY $4$ /	6	)	0 2 (Munsell	code <u>5GY 4/4</u>	<del></del> )
\ .		le from 1=none to 9=1i	ke peach fuzz)	4		
	$\underline{2}$ Marginal Waves (Rate on scale from	1=none to 9=many)	J.	1		
	4 Longitudinal Creases (Rate on scale	from 1=none to 9=many	)	<u>3</u>		
	6. TASSEL:	Standard Deviation	Sample Size	Sta	ndard Deviation	Sample Size
!	* 9_ Number of Primary Lateral Branches	1.29	_50_	_8_	<u>1.48</u>	_50_
	2 4 2 Branch Angle from Central Spike	4.20	_50_	12	4.33	_50_
	* <u>5 1.8</u> cm Tassel Length	2.67	_50_	<u>4 0 .2</u>	3.14	_50_
	(from top leaf collar to tassel tip) <u>6</u> Pollen Shed (Rate on∙scale from 0=male s	terile to 9=heavy shed)	)	<u>6</u> ·		
	1 7 Anther Color (Munsell code 5RP 3/6		)	1 6 (Munsell code <u>5RP 5/4</u> )		
	O 2 Glume Color (Munsell code _ 5GY 6/6_		)	0_2_(Munsell code <u>5GY 5/6</u> )		
	<u>1</u> Bar Glumes (Glume Bands): 1=Absent 2=Pre	sent	į	<u>1</u>		
	7a. EAR (Unhusked Data):	0 FD 6/6		0 1 (Munsell code 2.5GY 8/6 ) 0 1 (Munsell code 5GY 6/6 )		
	* 1 1 Silk Color (3 days after emergence) (Munse		_)			
	<u>O 1</u> Fresh Husk Color (25 days after 50% silking			$2_{0.1}$ (Munsell	code <u>7.5YR 7</u>	/4)
	_2 _1 Dry Husk Color (65 days after 50% Silking)			<u>3</u>		-
	* _3 Position of Ear at Dry Husk Stage: 1=Upright	nt 2=Horizontal 3=Pende	nt	<u>5</u>		
	_5 Husk Tightness (Rate on scale from 1=very )	loose to 9=very tight)		<u>3</u>		
	_3 Husk Extension (at harvest): 1=Short (ears 3=Long (8-10 cm beyond ear					
	7b. EAR (Husked Ear Data):	Standard Deviation	Sample Size	Sta	ndard Deviation	Sample Size
	* <u>1</u> <u>6</u> . <u>2</u> cm Ear Length	1.59	<u>50</u>	144	<u>.77</u>	_50_
n	* 4 5.2 mm Ear Diameter at mid-point	1.90	_50	<u>4_60_</u>	1.30	_50_
9	1 1 9.8 gm Ear Weight	5.75_	_50	976	7.18	_50_
6.	* 1 8 Number of Kernel Rows	1.61	_50	1_6_	1.40	_50_
3	2 Kernel Rows: 1=Indistinct 2=Distinct	<del></del>		2_		
		Curved 3=Spiral		1_		
2	<u>9_2</u> cm Shank Length	1.54	50	_ _8.3_	2.12	_50_
M	1 Ear Taper: 1=Slight 2=Average 3=Extrem			1_	·············	
	Application Variety Data			Standard Inbre	d Data	
	Note: Use chart on first page to choose color codes 1	for color traits.				11

Application Variety Data	Page	3	Standard Inbred Data		
8. KERNEL (Dried):	Standard Deviation	Sample Size		Standard Deviation	Sample Size
9.9 mm Kernel Length	50	_50_	1 0.9	70	_50_
7. <u>6</u> mm Kernel Width	.50	50_	_7.4_	<u>.50</u>	<u>50</u>
	30	_50_	_4_1_	.30	_50_
2 6.0% Round Kernels (Shape Grade)	2.22	15_	3 5 8	6.30	15
<u>1</u> Aleurone Color Pattern: 1=Homozygous 2=Seg	regating		1		<u>.</u>
(*) $\underline{1}$ $\underline{9}$ Aleurone Color (Munsell code $\underline{2.5Y}$ $\underline{8/2}$		)	1 9 (Mur	nsell code <u>2.5Y 8/</u>	2)
* <u>O_7</u> Hard Endosperm Color (Munsell code <u>2.5Y</u>	5/6	)	<u>0 7</u> (Mur	nsell code <u>2.5Y 5/</u>	6)
* <u>O_3</u> Endosperm Type: 1=Sweet (su1) 2=Extra Swee 4=High Amylose Starch 5=Waxy Starch 6=Hig 8=Super Sweet (se) 9=High Oil 10=Other			0_3		
19.6 gm Weight per 100 Kernels (unsized sample)	25	<u> 15</u>	<u>2 3 1</u>	44	<u>15</u>
9. COB:	Standard Deviation	Sample Size		Standard Devaition	Sample Size
* <u>3 4 5</u> mm Cob Diameter at mid-point	1.70	50_	<u>3 5 .8</u>	1.40	_50_
1 4 Cob Color (Munsell code 5R 4/6		)	1 4 (Mun	sell code <u>10R 5/6</u>	)
10. DISEASE RESISTANCE (Rate from 1 (most susceptible) leave blank if not tested; leave Race or Strain  A. Leaf Blights. Wilts, and Local Infection Diseases  Anthracnose Leaf Blight (Colletotrichum graminicola) Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) Eyespot (Kabatiella zeae) Goss's Wilt (Clavibacter michiganense spp. nebrasker Gray Leaf Spot (Cercospora zeae-maydis) Helminthosporium Leaf Spot (Bipolaris zeicola) Race Northern Leaf Blight (Exserohilum turcicum) Race Southern Leaf Blight (Bipolaris maydis) Race Southern Rust (Puccinia polysora) Stewart's Wilt (Erwinia stewartii) Other (Specify)  B. Systemic Diseases  Corn Lethal Necrosis (MCMV and MDMV) Head Smut (Sphacelotheca reiliana) Maize Chlorotic Dwarf Virus (MCDV) Maize Dwarf Mosaic Virus (MCMV) Maize Dwarf Mosaic Virus (MCMV) Maize Dwarf Mosaic Virus (MCMV)  Maize Dwarf Mosaic Virus (MCMV)  C. Stalk Rots  Anthracnose Stalk Rot (Colletotrichum graminicola) Diplodia Stalk Rot (Stenocarpella maydis) Fusarium Stalk Rot (Gibberella zeae) Other (Specify)  D. Ear and Kernel Rots  Aspergillus Ear and Kernel Rot (Aspergillus flavus) Diplodia Ear Rot (Stenocarpella maydis) Fusarium Ear and Kernel Rot (Fusarium moniliforme) Gibberella Ear Rot (Gibberella zeae) Other (Specify)	Options blank if po		Race Race Race Strain		
Application Variety Data			Standard I	nbred Data	10
Note: Use chart on first page to choose color codes for	color traits		<u></u>		12

Application Variety Data	Page 4	Standard Inbred Data
11. INSECT RESISTANCE (Rate from 1 (most susceptible) leave blank if not tested):	to 9 (most resistant);	
Banks Grass Mite ( <i>Oligonychus pratensis</i> ) Corn Earworm ( <i>Helicoverpa zea</i> ) Leaf-Feeding Silk Feeding : mg larval wt.	Standard Deviation Sample Size	Standard Deviation Sample Siz
Ear DamageCorn Leaf Aphid (Rhopalosiphum maidis)Corn Sap Beetle (Carpophilus dimidiatus)European Corn Borer (Ostrinia nubilalis)1st Generation (Typically Whorl Leaf Feeding)2nd Generation (Typically Leaf Sheath-Collar Fee Stalk Tunneling :	ding)	
cm tunneled/plant Fall Armyworm (Spodoptera frugiperda)Leaf-Feeding Silk-Feeding:mg larval wt.		
Maize Weevil (Sitophilus zeamaize) Northern Rootworm (Diabrotica barberi) Southern Rootworm (Diabrotica undecimpunctata) Southwestern Corn Borer (Diatraea grandiosella) Leaf Feeding Stalk Tunneling: cm tunneled/plant	· · · · · · · · · · · · · · · · · · ·	
Two-spotted Spider Mite (Tetranychus urticae)  Western Rootworm (Diabrotica virgifera virgifera)  Other (Specify)		
12. AGRONOMIC TRAITS:		
8 Stay Green (at 65 days after anthesis) (Roto 9=excellent.) 0.0 % Dropped Ears (at 65 days after anthesis		<u>5</u> _ <u>0.0</u>
 O % Pre-anthesis Brittle Snapping		
0.0 % Pre-anthesis Root Lodging	÷	
O.O % Post-anthesis Root Lodging (at 65 days	after anthesis)	0.0
. Kg/ha Yield of Inbred Per Se (at 12-13% gr		
13. MOLECULAR MARKERS: (0=data unavailable; 1=data avai		ied)
O Isozymes O RFLP's O RAPD's	Trable Sub Hob Supplica, E adoa Suppl	
REFERENCES:  Butler, D.R. 1954. A System for the Classification of Emerson, R.A., G.W. Beadle, and A.C. Fraser. 1935. A Starr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. In Phytopathological Society, St. Paul, MN.  Inglett, G.E. (Ed.) 1970. Corn: Culture, Processing, F. Jugenheimer, R.W. 1976. Corn: Improvement, Seed Product McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, Munsell Color Chart for Plant Tissues. Macbeth. P.O. E. The Mutants of Maize. 1968. Crop Science Society of Am Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn a Madison, WI.  Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E. U.S. Department of Agriculture. 1936, 1937. Yearbook.	Summary of Linkage Studies in Maize. 1989. Fungi on Plant and Plant Product. Products. Avi Publishing Company, Westion, and Uses. John Wiley & Sons, N. MN. 150 pp. Box 230. Newburgh, N.Y. 12551-0230 merica. Madison, WI. 5 Press, St. Paul, MN. 105 pp. and Corn Improvement, Third Edition.	Cornell A.E.S., Mem. 180. ts in the United States. The American tport. CT. ew York.
COMMENTS (eg. state how heat units were calculated, sta	undard inbred seed source and/or whe	re data was collected Continue in Exhibit D).
$GDD = \frac{Tmax + Tmin}{2}  50^{\circ}F$	Tmax <u>&lt;</u> 86°F Tmin <u>&gt;</u> 50°F	
Standard Seed Source: Iowa State Uni	versity Data Collecte	d e Williamsburg, IA 2000 📗

### Additional Description of the Inbred

### Exhibit D

LH310 is a medium late season field corn inbred line that is best adapted to the central and southern regions of the corn belt. LH310 flowers similar to LH195. LH310 is a good pollinator and an outstanding seed parent.

Hybrids containing LH310 display excellent staygreen and plant health and posses greater yield potential than comparable LH195 crosses. This line contributes superb stalk and root strength and excellent fall plant intactness to its hybrids. Harvest moistures are similar to LH195 crosses.

REPRODUCE LOCALLY. Include form number and date on all reproductions.		ORM APPROVED - OMB NO. 0581-0055	
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.  Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).		
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP			
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME	
HOLDEN'S FOUNDATION SEEDS, L.L.C.	EX5011	LH310	
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)	
and the state of t		The second of the second	
503 S. MAPLEWOOD AVENUE PO BOX 839 WILLIAMSBURG, IA 52361	(319)668–1100 7. PVPO NUMBER 200	(319)668-2453 (3 0 ) 3 0 )	
8. Does the applicant own all rights to the variety? Mark an "X" in appropriate bit	ock. If no, please explain.	X YES NO	
Is the applicant (individual or company) a U.S. national or U.S. based company If no, give name of country		X YES NO	
10. Is the applicant the original owner? X YES NO If no, please ans	wer the following:		
A 1E3 NO II III, piease alis	wer the lonowing.		
a. If original rights to variety were owned by individual(s), is (are) the	ne original owner(s) a U.S. natior	al(s)?	
	in de la companie de La companie de la co		
b. If original rights to variety were owned by a company, is the orig		4.5	
YES NO If no, give name of country			
11. Additional explanation on ownership (If needed, use reverse for extra space):			
This inbred for which plant variety protection is ap and Terry Foley employees of Corn States Hybrid Serv An agreement between the companies and the employees discovery or development made by the employees while with no right of any kind retained by the employees.	ice and Holden's Fou assigns all rights employed at the com	ndation Seeds, L.L.C. to any invention.	
PLEASE NOTE:	<del> </del>		
Plant variety protection can be afforded only to owners (not licensees) who meet or	ne of the following criteria:		
If the rights to the variety are owned by the original breeder, that person must loof a country which affords similar protection to nationals of the U.S. for the san		UPOV member country, or national	
<ol><li>If the rights to the variety are owned by the company which employed the origin nationals of a UPOV member country, or owned by nationals of a country which genus and species.</li></ol>			
3. If the applicant is an owner who is not the original owner, both the original own	er and the applicant must meet	one of the above criteria.	
The original breeder/owner may be the individual or company who directed final bre for definition.	eding. See Section 41(a)(2) of	he Plant Variety Protection Act	

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (702).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call 1-800-245-6340 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.